


**CV with Résumé Of
Abdelkader SAADALLAH Dr. Geosciences**

Experience: 126 Books, Reports, Publications...

55 + Years

(Structural Geology, Petroleum Geosciences
&

Processing and Interpretation of Borehole Images/Dipmeter data Implementing Recall
Software Package, Exploration of Hydrocarbons, Mining, deep water in Sahara)



Saadgeo

1. RESUME

Key features characterising the experience in **Borehole Imaging and Dipmeter**:

- North Sea –Danish, Norwegian & UK Sectors- (Frøyahøgda, Gyda, Tor, Snorre, Yme, Trøndelag area, Varg, Svale, Valdemar, Lulita/Harald, Dan, Fram, and Rosebank Fields);
- Middle East: Qatar (Al-Shaheen Field); Saudi Arabia (Gawar Field); Iraq (Tawke), Iran (South Pars and Zagros fields); Yemen (Nabrahah)
- Italia (Val d'Agri Field), Kazakhstan (Zhagabulak), Vietnam (Bao Vang & Baoden)
- Borehole images data studied are of FMI, FMS, CBIL, STAR, UBI, OBMI, CAST, EMI, and XRMI tools; GVR images; Density borehole imaging: ADN, ALD tool
- Dipmeter data studied are HDT, SHDT, DIPLOG, HEXDIP
- Tools from different logging companies: Schlumberger, Baker Hughes, Halliburton & CNLC
- Implementing RECALL Petris' software package (In house)
- Articles and presentations related to borehole imaging;

Company Clients:

BP, ConocoPhillips, Maersk, Norsk Hydro, PGS, Petra, Saudi Aramco, Shell, Statoil, Talisman, DNO, Aral, Chevron, Gazprom, and Fram Exploration; related to **fields** in North Sea, Middle East, Italia, Kazakhstan, Vietnam & Trinidad.

Background:

Extensive **Structural Geology** field and structural studies mainly in Algeria during 24 years, with about 40 publications, studies, theses and supervised theses.

About Database creation and management:

Implementing Fresco software to load data in Database of Shell (Stavanger) during 8 months (2000-2001); Using Geoframe to create and manage Database (Tampen Area) of more than 300 wells (2001); Creating database of well data within projects regarding up to 28 wells per projects using Recall Software.

About 4 D Structural Geology:

Characterising a reservoir is mainly a 3 D structural determination using the right software to integrate all the data available and the estimation of some parameters needed. To ascertain the 3 D geometry of the reservoir, it is very useful to build a sequence of geometry through the geological time and check the compatibility with the tectonic context. That's the 4 D issue of the Structural Geology of the reservoir. That was at one point of time of the life of the reservoir; the main issue is to figure out how the fluids have evolved since the first well started to produce. That's another type 4 D view of the reservoir.

About Fractured Reservoir:

Fractured Reservoirs (carbonate, basement, volcanic), need a particular in depth studies aiming to characterise Draining Features (Layers & Channels) intersecting two matrixes, the Fracture Network background, and the genuine matrix formation second and original background.

Consultant at PUQI (<http://www.pqwts.com/>), new experience chapter starting from 2017, implementing modern geophysics tools to detect groundwater by measuring EM.

Counsellor to Mr Minister of Energy and Mining of Algeria, starting in Mars 2021 to November 2024, several projects related to mining and prospecting deep groundwater in Sahara.

Starting in 2024 a geoscientist Co, Saadgeo (<https://saadgeo.org/>) related to prospection of underground water, hydrocarbons, ores and specific studies of hydrocarbon reservoirs.

2. CURRICULUM VITAE

GENERAL INFORMATION

Name	Abdelkader Saadallah
Languages	English, French, Arabic and Norwegian
Profession	Geoscientist
E-mail	Abdelkader.saadallah@gmail.com
Website	http://Saadgeo.org/

MEMBERSHIPS

Geo Africa Sciences Society since 2010-20	Pr. Founder (http://geoafricasciences.com/)
AAPG since 2002	American Association of Petroleum Geologists
SPWLA & NFES 2005-2012	Society of Petrophysicists and Well Log Analysts

EDUCATION

1992	Doctorate ('Doctorat ès Sciences') in Structural Geology,
1981	PhD ('These de 3 ème cycle') in Structural Geology
1970	First postgraduate diploma ('Diplome d'Etude Approfondie') Structural Geology)
1969	Geologist Algiers' University

CAREER SUMMARY

2024 to date	Owner & Manager of Saadgeo (https://saadgeo.org) related to prospection of underground water, hydrocarbons, ores and specific studies of hydrocarbon reservoirs.
2021-2024	Counsellor to Mr Minister of Energy and Mining of Algeria
2017 to 2024	Consultant for PUQI (http://www.pqwtes.com/) Hunan Puqi Institut of Research and development of geologic and maker of geological exploration devices at Changsha (China)
1999 to 2013	Borehole Images/Dipmeter Interpreter & Manager: Saadallah Geoconsultant AS, Stavanger Norway
1996 - 1999	Borehole Images/Dipmeter Interpreter: Baker Hughes Stavanger, Norway
1995 – 1996	Professor (Structural Geology): University Besancon, France.
1994 – 1995	Searcher (Structural Geology): CNRS Montpellier, France
1993 – 1994	Professor & Searcher Team Leader (Structural Geology): University, Algiers
1993 - 1994	Consultant (Structural Geology): Sonatrach and BP, Algiers, Algeria
1973 – 1993	Associate Professor/Searcher (Structural Geology), Member of the National Research Council: University, Algiers
1982 - 1991	Searcher Team Leader (Structural Geology & Mapping): University, Algiers
1977 - 1978	Consultant (Structural Geology): Sonatrach, Algiers
1975 - 1976	Organiser of the first and the second National Seminar of Earth Sciences - "SNST", Algiers
1974 - 1977	Manager of Geological Institute, University, Algiers
1972 - 1970	Professor (Sciences) College, Algiers
1967 - 1969	Assistant Geologist in Drilling (summer times) Total-Sonatrach, Sahara

EXPERIENCE

1999-2013	Saadallah GeoConsultant AS (Stavanger) Manager, Borehole Imaging/Dipmeter data: processing and interpretation, Creating and managing data base, Fracture studies, Core Goniometry studies, Completion logs and plots
1996 - 1999	Baker Hughes (Stavanger) Structural geologist, Borehole Images/Dipmeter data: processing and interpretation, fracture studies
1995 - 1996	University , Besançon, (France). Professor: Structural Geology
1994 - 1995	Laboratoire CNRS Montpellier, (France) Researcher: Structural Geology
1993 - 1994	University : Algiers (Algeria) Professor/researcher supervisor: Structural Geology
1993 - 1994	Sonatrach and BP , Algiers Consultant: structural geologist & field studies
1973 – 1993	University : Algiers Associate professor/researcher, Member of the National Research Council, Research Team Leader, Supervisor of PhD (Theses de Magister of 5 students) Member of IGCP 27 (Participation to several Annual Field Meetings in Caucasus, Yugoslavia, France and Spain. Organiser of the Annual Field Meeting in the North Algeria in 1990, leading the field trip, seminary, presenting cross-sections and a Guide Book of the field trip. 30 geologists from 14 countries attended the field trip), Consultant: structural geologist (Sahara), Organiser of 1 st & 2 nd National Seminar of Earth Sciences, Manager of Geological Department.
1973 – 1970	Professor of sciences in secondary school, Algiers.
1967 - 1969	Total-Sonatrach oil company Assistant geologist during 2 summers on a drilling program (Summer time) Sahara

PROFESSIONAL TRAINING

Year	Title	Organizer
2001	GeoFrame: Data loading and management	Aker Geo Petroleum Services
2000	Terrastation (loading, processing, interpretation, borehole images)	Terrasciences
1998	Technical organisational seminar	Baker Hughes
1998	Borehole Image Processing (recall)	Baker Hughes
1998	Core analysis	Baker Hughes
1978	Photogeology	CNRS, Montpellier (France)

FIELD TRIPS

1991	Cross Section of the Betics (Spain)	IGCP
1985	Cross Section of the Alps	University of Grenoble (France)
1984	Cross Section of the Dinarides (Yugoslavia)	IGCP
1982	Cross Section of the Caucasus (Russia)	IGCP
1981	Cross Section of the Pyrenees (France)	IGCP

COMPUTER SOFTWARE SKILLS

Personal Computer Office Systems:	
Microsoft Office:	Word, Excel, PowerPoint, Freehand, EndNote, Adobe Illustrator
UNIX	GeoFrame, Recall, Terrastation, SDI-Montage, Fresco

LINUX	Recall,
WINDOWS	Recall, Global Mapper (GIS software) Move package (2D, 3D & 4D) & Petrel

REPORTS - PUBLICATIONS - COMMUNICATIONS - MAPS – THESES - SUPERVISED THESES

2025

126-Prospection des Gisements d'Eau Souterraine dans les Régions Sud de l'Algérie CWREC'25 (The International Conference on Water Resources & the Environmental Changes) Bechar (Algeria) 2025 pour accéder au PDF: <https://saadgeo.org/wp-content/uploads/2025/02/SaadallahBecharCwrec25.pdf>

2024

125- Several studies related to exploration of deep groundwater in Sahara during the period from 2022 to 2024 while working as counsellor of Minister of Energy and Mining of Algeria.

2019

124- "Algeria: A New Tectonic Framework A proposed new tectonic model for the northern Algerian Alpine Region based on studies of the Internal Zone rejects the previous model and suggests ideas for new hydrocarbon traps and prospects. Article p. 14-18, in GeoExPro Vol 16, No 3 2019

2018

123- "Borehole-Image-Based Characterization of Reservoirs Targeting Draining Features (Fluid pathways)" Article p. 26-30, in SPWLA TODAY Issue5 Vol 1 Page 5 of 15

122- Presentation "New Tectonic Frame of the Algerian Alpine and Subsequently New Strategy for Hydrocarbon Exploration" at the JST11 (11th Journées Scientifiques et Techniques) organized by Sonatrach in Oran (Algeria) 16-19 April

121- Presentation "Caractérisation des Réservoirs pour Mettre en Evidence les Drains Potentiels/Réels" at the JST11 (11th Journées Scientifiques et Techniques) organized by Sonatrach in Oran (Algeria) 16-19 April 2018

Book (2017)

120- Book : La Grande Kabylie dans le contexte algérien vue par les géosciences. livre, pp 237, ISBN : 978-9931-9211-5-8. Dépôt légal 2017 ; Editions INGESE, Alger (Algérie).

Book (2016)

119- Livre : Va de l'Avant ! ; De la tribu à la culture globale, pp 624, ISBN 978-9931-9211- 2-7, Dépôt légal : 1er semestre 2016 ; Editions INGESE, Alger (Algérie).

Course (2014)

118- Cours in English: Characterization of fractured carbonate reservoirs: highlighting fluids paths, March 2014 for 20 geoscientists of Kuwait Oil Co, using 1000 slides and a doc. of 439 p.

Reports (2013)

117- Presentation "The metamorphic formations of Great Kabylia (Algeria)" at The 1st Workshop focussing on the Internal Zones of the Alpine Belt in North of Algeria; WIZIA 13 (June 09-11) University Mouloud Mammeri de Tizi Ouzou (Algérie) and leading a field trip in the MCC of Great Kabylia

Reports (2012)

116- Co-organizing REZAS'13; The 1st International Colloquium on "Water resources in the arid and semiarid regions: challenges and prospects. Case of the African continent" occurred at Beni Mellal (Morocco) 14, 15 & 16 November 2012

115- Writing a book: Just keep going!

Reports (2011)

114- Overview of the Structural setting of Trinidad, Southern Basins for Fram Exploration AS (Norway); Report with Figs, maps & cross sections.

113- Processing and Interpretation of Borehole Images FMI of Alsaq-1 Well (Yemen), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures.

112- Processing and Interpretation of Borehole Images Electric and Acoustic data (FMI & UBI) of Gabdain-1 Well (Yemen), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures.

Reports & Communication (2010)

111- Processing and Interpretation of Borehole Images data (FMI) of 3 wells Sharnah 1 & 2 and Suwehed-S (Yemen), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures.

110- **“Concepts of Pipe-Layers & Pipe Channels in Carbonate Fractured Reservoirs Based on Borehole Image Analyses” AAPG Geosciences Technology Workshop**
The Role of Fracture & Geomechanical Characterization in the Hydrocarbon Industry: Middle Eastern Perspective *June 28 – 30, 2010 Rome, Italy*

109- Processing and Interpretation of STAR & CBIL data of VGP BTR-1X (Viet Nam), for VietGazprom Report with Fig. Tables, Plots & Enclosures

108- Processing and Interpretation of LWD Borehole Images data (GVR) of a horizontal well Nabrajah 10 S2 (Yemen), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures

107- **“Carbonate/Fractured Reservoirs: Highlighting Draining Features (Pipe-Layers & Pipe-Channels) Based on Borehole Image Analyses” Presentation at NFES Meeting (SPWLA in Stavanger)**, February 3rd 2010 <http://www.nfes.org/archive/2010/Feb10.h...>

106- Processing and Interpretation of Borehole Images data (FMI) of Nabrajah 10 S (Yemen), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures

Reports (2009)

105- Processing and Interpretation of XRMI data of Tawke 1 (Lower section) Well (Iraq), for DNO AS (Oslo) Report with Fig. Tables, Plots & Enclosures

104- Processing and Interpretation of Borehole Images data (STAR & CBIL) of VGP-111-BV-2X Well, for Gazprom Report with Fig. Tables, Plots & Enclosures

103- Processing and Interpretation of Borehole Images data (FMI & STAR) of VGP 113-BV-1X & VGP-112-PR-1X Wells, for Gazprom Report with Fig. Tables, Plots & Enclosures

102- Processing and Interpretation of Borehole Images data (EMI) of 3 Wells (Tawke: 2, 4 and 5), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures

101- Processing, Interpretation & Correlation of Borehole Images data (FMI) of 3 Wells Nabrajah 5, 10 & 11 (Yemen), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures

Reports & Communications (2008)

100- Processing and interpretation of Borehole Images data (EMI) of Tawke 15 Well (Iraq), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures

99- Processing and interpretation of Borehole Images data (EMI) of Hawler 2 Well (Iraq), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures

98- Processing and interpretation of Borehole Images data (EMI) of Tawke 11 Well (Iraq), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures

97- Perspectives en Hydrocarbures de l'offshore Algerie et Enseignements tires de la Mer du Nord; Communication at Workshop sur l'Offshore Algerien; Organised by Sonatrach 24-25 June 2008, Algiers.

96- Processing and interpretation of Borehole Images data (EMI) of Hawler1 Well (Iraq), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures

95- Processing and interpretation of Borehole Images data (EMI) of Tawke12 Well (Iraq), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures

Reports (2007)

94- Determination of PaleoDirections of Lava Flows based on FMI data of 4 wells from Rosebank Field (UKCS) for Chevron; Report (with Fig, Tables, Plots).

93- Processing and interpretation of FMI, GVR & ADN images data of 205/01-1 Well from Rosebank Field (UKCS) for Chevron; Report (1Vol. with Fig. Tables, Plots).

92- Processing and interpretation of Borehole Images data (EMI) of Tawke5A Well (Iraq), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures

91- Processing and interpretation of Borehole Images data (EMI) of Tawke8 Well (Iraq), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures

90- Processing and interpretation of Borehole Images data (EMI) of Tawke3 Well (Iraq), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures

89- Processing and interpretation of FMI images data of 213/27-2 Well from Rosebank Field (UKCS) for Chevron; Report (1Vol. with Fig. Tables, Plots).

88- Processing and interpretation of Borehole Images data (EMI) from Tawke6 Well (Iraq), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures.

87- Processing and interpretation of FMI, GVR & ADN images data of 213/26-1 & 1Z Wells from Rosebank Field (UKCS) for Chevron; Report (2Vol. with Fig. Tables, Plots).

Reports (2006)

86- Processing and interpretation of FMI data of 3 Wells from Zhagabulak Field (Kazakhstan) for Aral; Report (1Vol. with Fig. Tables, Plots).

85- Processing and interpretation of Borehole Images & Dipmeter data (FMS, HDT, SHDT, DIPLOG, HEXDIP) of 12 Wells (among 28 loaded in a created database) from North Sea; Report (5 Vols. with Fig. Tables, Plots).

84- Processing and interpretation of Borehole Images data (EMI) from Tawke1 Well (Iraq), for DNO AS (Oslo); Report with Fig. Tables, Plots & Enclosures and backup of data (processed and interpreted) implementing RECALL Software.

Reports (2005)

83- Processing and interpretation of Dipmeter data (SHDT & HEXDIP) from seven (7) wells of Frøyahøgda (Norway), for Petra AS (Trondheim); Report (Vol1 & Vol2) with Fig. Tables, Plots & Enclosures and backup of data (processed and interpreted) implementing RECALL Software.

Reports (2004)

82- Processing and interpretation of Density data (ALD) from three (3) wells of Gyda Field (Norway), for Talisman Energy (Stavanger); Report with Fig. Tables, Plots & Enclosures and backup of data (processed and interpreted) implementing RECALL Software

81- In Situ Stress analysis of Tor Field (Norway) based on Caliper data from ten (10) wells, for ConocoPhillips (Stavanger); Report with Fig. Tables, Plots & Enclosures and backup of data (processed and interpreted) implementing RECALL Software

80- Fracture interpretation of Borehole Images of six (6) wells of Val d'Agri Field (Italy) followed by a fast track report, for Shell (Roma); implementing RECALL Software

79- Processing and Interpretation of dipmeter data of three (3) wells of Yme field (Norway). Report with Fig. Tables, Plots & Enclosures and backup of data (processed and interpreted) for Pertra AS PGS (Oslo); Implementing RECALL Software.

78- Processing and Interpretation of dipmeter data of four (4) wells of Trøndelag area (Norway). Report with Fig. Tables, Plots & Enclosures and backup of data (processed and interpreted) for Pertra AS PGS (Oslo); Implementing RECALL Software.

77- Processing and Interpretation of OBMI data of 34/7-P-03 Well (Snorre Field) (Norway). Report with Fig. Tables, Enclosures and backup of data (processed and interpreted) for Statoil AS (Stavanger); Implementing RECALL Software

Reports (2003)

76- Revision and Re-interpretation of dipmeter/images data of eleven (11) wells of Varg Field (Norway). Report with Fig. Tables and Enclosures for PERTRA AS PGS (Oslo); Implementing GEOFRAME Software.

Reports, Articles & Communications (2001-2002)

75- FMS data of AZ-184 Well (Ahwaz Field, Iran): Identification of Geological Planar Features and Interpretation Focussed on Fracture Study. Report with Fig. Tables and Enclosures, for Statoil (Stavanger); Implementing RECALL Software

74- FMI data of Wells SPO-1, 2 and 3 (South Pars Field, Iran), Identification of Geological Planar Features and Interpretation Focussed on Fracture & Vuggy Matrix Studies. Correlation between the three wells. Report with Fig. Tables and Enclosures, for Statoil (Stavanger); Implementing RECALL Software.

73- CAST data of Well MN-281 (Marun Field, Iran), Identification of Geological Planar Features and Interpretation Focussed on Fracture Study & in situ Feature Analysis. Report with Fig. Tables and Enclosures; for Statoil (Stavanger); Implementing RECALL Software.

72- CAST data of Well MN-278 (Marun Field, Iran), Identification of Geological Planar Features and Interpretation Focussed on Fracture Study & in situ Feature Analysis. Report with Fig. Tables and Enclosures; for Statoil (Stavanger); Implementing RECALL Software.

71- FMI data of Well BH-121 (Bibi-Hakimeh Field, Iran), Identification of Geological Planar Features and Interpretation Focussed on Fracture Study. Report with Fig. Tables and Enclosures; for Statoil (Stavanger); Implementing RECALL Software.

70- FMS data of Well MN-181 (Marun Field, Iran), Identification of Geological Planar Features and Interpretation Focussed on Fracture Study. Report with Fig. Tables and Enclosures; for Statoil (Stavanger); Implementing RECALL Software.

69- Article (2002) in "Oil & Gas North Africa Magazine" March & April: Borehole Imaging: Part 1 of 2: Borehole Map & Imaging Tools, Part 2 of 2: QC, Processing & Interpretation.

68- Well 6608/10-6, FMI Data: Processing and Interpretation with a Particular Emphasis on Paleocurrent Directions. Implementing GEOFRAME, report with Fig. Tables & Enclosures, for Statoil (Stavanger).

67- Well BH-90D (Iran), Identification of Geological Planar Features and Interpretation Focussed on Fracture Study. Report with Fig. Tables and Enclosures; Implementing RECALL Software, for Statoil (Stavanger).

66- Presentation (2002) at SIS 2002 (Madrid): Paleocurrent Directions in Sandstone Deposits: Methodology, Workflow and Benefits of FMI Interpretation using GeoFrame. A Case Study.

65- Well BH-116 (Iran), Identification of Geological Planar Features and Interpretation Focussed on Fracture Study. Report with Fig. Tables and Enclosures; Implementing RECALL Software, for Statoil (Stavanger).

64- Well 6608/10-7, FMI Data: Processing and Interpretation with a Particular Emphasis on Paleocurrent Directions. Implementing GEOFRAME, report with Fig. Tables and Enclosures, for Statoil (Stavanger).

Reports & Communications (2000-2001)

63- Borehole Imaging: overview; Conference done at NFES Stavanger, 4th October, 2000.

62- Core Goniometry for the well 6507/5-3, Snadd Prospect for BPAmoco.

61- Completion Plots of 4 wells for Norsk Agip implementing TERRASTATION II software.

Reports about Structural and Fracture studies of Reservoir using BOREHOLE IMAGES Data carried out in Z & S Geosciences Stavanger in 1997-1999.

The aims were structural and fracture studies of reservoirs. About 150,000 ft of Images logs (FMI, FMS, CBIL and STAR) and petrophysics logs in different geologic contexts: North Sea, Saudi Arabia and Qatar were studied implementing Recall.

Concerning the specific problem known as "Super-K zones" in Ghawar Field (Saudi Arabia) I contributed to its study by 8 reports trying to define role of fractures and high porosity layers in high fluid flow rates of oil or/and water. The identification of in-situ features to define the direction of the maximum horizontal stress and its relationships with the main fracture strike sets.

53-60 Height (8) reports: 9 wells of Alshaheen Field (Qatar) interpretation focussed on fracture analyses of borehole images (FMS and FMI) for Maersk (Qatar). The cumulated length is about 90,500 ft. Every report contains figures and enclosures (composite plots, geological map, cross section, different kind of maps illustrating different aspects of fracturing and faulting).

46-52- Seven (7) reports: 7 wells of Ghawar Field (Saudi Arabia) for Saudi Aramco: Structural interpretation and fracture analysis of acoustic images (CBIL) and STAR. Relationships with flow rates of oil and/or water and super K-Zones were attempted. The cumulated length is circa 9,000 ft.

45- One (1) report: 3 wells of Valdemar Field (Danish sector of North Sea) for Maersk Olie og Gas : Structural interpretation and fracture analysis of electric images (FMI & FMS), 26p, Fig. 52, Enclosures 15 particularly 3D-Structural map of the field. The cumulated length is circa 9200 ft.

44- **One (1) report:** Quick interpretation and Structural Analysis of Dipmeter Data (HEXDIP) of a Wildcat well in South Viking Graben (Norwegian Sector) for Norske Agip.

43- **One (1) report:** 3 wells of Lulita/Harald Field (Danish sector of North Sea) for Maersk olie og Gas: Processing and interpretation of Dipmeter (SHDT) and images (FMI).

42- **One (1) report:** 1 well of Dan Field (Danish sector of North Sea) for Maersk Olie og Gas: interpretation and fracture analysis of images (FMI).

41- Co-author **one (1) report:** 6 wells of the Fram Field (Norwegian Sector) processing and interpretation of Dipmeter, FMI and FMS data for Norsk Hydro.

Geological and Structural Maps, Algeria (1976-1992)

40- Saadallah, (1992) Mapping of Grande Kabylie (Algeria) three sheets at the scale of 1:50,000.

39- Saadallah, A., (1981) Mapping of Algiers massif (Algeria) at the scale of 1: 25,000.

38- Attar A., Saadallah, A., Froukhi, R. and Ghandriche, H., 1978. Geological map of the Tafâssasset Paleozoic basin (Sahara) at the scale of 1:500,000. Sonatrach, Alger

37- Saadallah, A. 1976; About 50% of a map of Tiririne at the scale of 1:200,000 in the Precambrian basement of Hoggar (South of Algeria).

Reports (Engineering Geology, 1978 & Hydrogeology, 1993)

36- Saadallah, A. 1993; La couverture calcaire du Djurdjura : un immense réservoir d'eau. Rapport inédit pour le Ministère de l'hydraulique Alger pp. 3. Carte HT1:100,000.

35- Saadallah, A., 1978; Esquisse géotechnique de la région de Bouzaréah (Alger). Rapport inédit avec carte H.T. 1:5,000 pp. 20 pour le compte de COMEDOR (Alger). (CRAG- Univ. Alger).

Articles in Periodicals Reviewed by Experts (Structural Geology; 1971-1996)

34- Saadallah, A. and Caby, R. 1996; Alpine extensional detachment tectonics in the Grande Kabylie metamorphic core complex of the Maghrebides (northern Algeria). Tectonophysics 267 : 257-273.

33- Saadallah, A. Belhai, D., Djellit, H. and Seddik, N.1996; Coulissage dextre entre zones interne et externe des Maghrébides, et structuration en fleur de la Dorsale calcaire du Djurdjura (Algérie). Geodinamica Acta 9, 4, 177-188.

32- Saadallah, A. and Caby, R., 1994; Structuration et exhumation des massifs cristallins des Maghrébides (Algérie) : les effets de la distension méditerranéenne. Bull. Serv. géol. Algérie. Vol. 5, n° 1, pp. 81-87.

31- Belhai, D., Merle, O. and Saadallah, A., 1990; Transpression dextre à l'Eocène supérieur dans la Chaîne des Maghrébides (massif du Chenoua, Algérie) C. R. Acad. Sc. Paris, 310: 795-800.

30- Monié, P., Maluski, H., Saadallah, A. and Caby, R., 1988; New ³⁹Ar-⁴⁰Ar ages of Hercynian and Alpine thermotectonic events in Grande Kabylie (Algeria). Tectonophysics 152 : 53-69.

29- Monié, P., Maluski, H., Caby, R. and Saadallah, A. 1982; Age à 85 Ma par la méthode ³⁹ Ar-⁴⁰ Ar du métamorphisme de haute température du massif d'Alger. C. R. Acad. Sc. Paris, 295 : 935-938

28- Bertrand, J.M., Caby, R., Ducrot, J., Lancelot, J., Moussine-Pouchkine, A. and Saadallah, A. 1978; The late Pan-African linear fold belt of Eastern Hoggar (Algeria). Geology, structural development, U-Pb geochronology, tectonic implications for the Hoggar shield. Precamb. Res., 7/4 : 349-376.

27- Collomb, P., Mahdjoub, Y. and Saadallah, A. **1971**; Etude pétrographique et structurale des gneiss de Sidi Ferruch (massif métamorphique d'Alger) Bull. Soc. Hist. nat. Afr. Nord., 62 /2-3 : 51-70.

Articles in Non-Periodic Magazines (Seismotectonic, 1981)

26- Kireche, O., Mahdjoub, Y. and Saadallah, A. **1981**; Etude des déformations au sol causées lors du seisme du 10.10.1981 à El Asnam. Place dans le contexte alpin et néogène. Géosciences (Crag, Alger). 1 : 18-58.

Guide Book (IGCP Field Trip, 1990) & Booklet for Students (Geology, 1995)

25- Saadallah, A., **1995**; Cours polycopié pour les étudiants de maîtrise de Besançon "Géologie de l'Algérie septentrionale et problèmes actuels d'interprétation" pp. 102. University of Besancon (France).

24- Saadallah, A., **1990**; Guide book of the third field meeting IGCP 276. Alger

Communications in Colloquia & Seminars (Structural Geology; 1975-1992)

23- Saadallah, A. and Caby, R., **1992**; Distension méditerranéenne dans les massifs cristallins des Maghrébides (Algérie). 9ème SNST Tlemcen. pp.5.

22- Saadallah, A., **1990**; Nouveau modèle concernant la chaîne des Maghrébides. Col. Géol. Int. "Le Maroc, promontoire africain, entre la Méditerranée et l'Atlantique" Rabat Soc. géol. Maroc & Soc. géol. Fr. 93

21- Saadallah, A., **1989**; Nouveau modèle concernant la chaîne des Maghrébides. 7ème SNST. Alger IST-USTHB. p.133.

20- Saadallah, A., Bettahar, A., Benkerrou, N., Gani, R. and Loumi, K., **1989** Caractéristiques structurales et pétrométamorphiques de l'édifice cristallin de G. Kabylie (Algérie). 7° SNST, Alger.

19- Caby, R., Saadallah, A., Monié, P. and Maluski, H., **1988**; New petro structural and geochronological evidences for alpine tectonometamorphic events in Grande Kabylie (Algeria). EUG 4th meeting, Strasbourg. Terra cognita, 7, 2/3 : 107

18- Caby, R., Saadallah, A., Monié, P., Gani, R. and Loumi, K. **1986**; Phénomènes distensifs et surrection syn à post miocène des terrains cristallins de Grande Kabylie. 6ème SNST Alger

17- Belhai, D. and Saadallah, A., **1986**; Trajectoires de déplacement du massif du Chenoua (Algérie). 6° SNST, Alger. p. 22

16- Belhai, D. and Saadallah, A., **1984**; Aperçu sur la géologie du Chenoua avec des données nouvelles. 5e SNST USTHB, Alger, p. 26.

15- Saadallah, A., **1984**; Tectonique globale et active en Algérie alpine septentrionale. Conf. Int. sur la microzonation sismique. Ech-Cheliff (Algérie) pp. 15.

14- Saadallah, A., **1984**; Résultats préliminaires sur la tectonique du socle de Grande Kabylie. 5° SNST, Alger.

13- Saadallah, A., **1982**; Ecaillages de socle dans le massif d'Alger: exemple d'un processus continu de déformation, lors d'un charriage, d'âge alpin (?) à vergence nord. 9ème RAST, Paris, p. 561.

12- Attar, A. and Saadallah, A., **1982**; Les séries paléozoïques du Tafassasset (Sahara du Sud-Est). 4ème SNST, Univ. Alger.

11- Saadallah, A., **1981**; Etude structurale du massif d'Alger. IGCP N° 5 Univ. Pau,(France). p.3.

10- Saadallah, A., **1978**; Structure du massif d'Alger et son influence sur la chaîne alpine du nord de l'Algérie. 3° SNST (INH, Boumerdes. p. 16.

9- Saadallah, A., **1975**; Structure en écaille d'âge alpin du massif cristallophyllien d'Alger. 1er SNST, Univ. Alger.

Theses

8- Saadallah, A. **1992**; Le Cristallin de la Grande Kabylie (Algérie) : sa place dans la chaîne des Maghrébides. Thèse ès Sciences pp. 260 Cartes HT au 1 / 100 000 de la Grande. Kabylie, carte HT de Sidi Ali Bou Nab au 1/50 000 et coupes HT. USTHB (Alger).

7- Saadallah, A., **1981**; Le massif cristallophyllien d'El-Djazaïr (Algérie) : Evolution d'un charriage à vergence nord dans les internides des Maghrébides. Thèse 3ème cycle 160 pp Univ. Carte au 1/25,000 H.T. USTHB (Alger).

6- Saadallah, A., **1970**; Les gneiss de Sidi Ferruch. Rap. de DEA 46 p. carte H.T. Univ. Alger.

Supervised Theses

5- Bettahar, A., **1990**. Massif de Sidi Ali Bou Nab (Grande Kabylie). Mise en place d'un granite au cours d'un cisaillement tangentiel à vergence NW à W. Thèse de Magister. pp. 144. carte H.T. au 1/25 000. Univ. USTHB Alger.

4- BenKerrou, N., **1989**. Etude pétro métamorphique et structurale du massif cristallin d'Oued Ksari (Grande Kabylie, Algérie). Thèse de Magister pp. 143. Carte H.T. au 1/25 000. Univ. USTHB. Alger.

3- Loumi, K., **1989**. Etude structurale de la région de Beni Douala (socle cristallophyllien de Grande Kabylie-Algérie) : mise en évidence de mouvements vers le N-W. Thèse de Magister pp. 156 Carte H.T. au 1/25 000. Univ. USTHB Alger.

2- Gani, R., **1988**. Etude petro structurale des massifs cristallins de Larbaa Naith Irathen et de Djemaa Saharidj (Grande kabylie, Algérie). Thèse de Magister 147 pp. Carte H.T. au 1/25 000. Univ. USTHB. Alger.

1- Belhai, D., **1987**. Massif du Chenoua (Algérie): mise en place des flyschs en relation avec un cisaillement dextre transcurrent EW responsable de la structure en éventail Thèse de Magister pp. 135. Carte H.T. au 1/50 000. Univ. USTHB Alger.